Amendments to the Claims

1

3

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1 Claim 1 (cancelled). Claim 2 (cancelled). 1
- (previously presented) The method of claim 18, wherein at least 1 3. 2 one of the calibrated performance score and the input are provided over a 3 communication network.
- (previously presented) The method of claim 18, wherein the 4. interactions are based on an analysis frequency that is determined at least one of 2 arbitrarily and as requested by the business.
- (previously presented) The method of claim 18, wherein at least 5. 1 2 one of the interactions is analyzed for quality of service for the agent per day.
- 1 6. (previously presented) The method of claim 18, further 2 comprising:
- 3 providing a data report with the calibrated performance score.
- 1 7. (previously presented) The method of claim 6, wherein the report 2 data further comprises at least one of:
- an agent performance element that could be improved; and 3 an agent performance element that was well performed. 4
- 8. (previously presented) The method of claim 6, wherein the report 1 data further comprises a training tip for the agent based on analyzing the agent's 2 3 interactions.
- Claim 9 (cancelled). 1

1	Claim 10 (cancelled).		
1	11. (previously presented) The method of claim 18, wherein the		
2	interactions comprise telephone calls.		
1	12. (previously presented) The method of claim 18, wherein the		
2	interactions comprise electronic messages.		
1	Claim 13 (cancelled).		
1	14. (previously presented) The method of claim 18, wherein the		
2	interactions occur in an area within the United States of America and the analysis		
3	of the interactions occur in at least one of a different area within the United States		
4	of America and an area that is external to the United States of America.		
1	Claim 15 (cancelled).		
1	16. (previously presented) The method of claim 18, wherein the		
2	interactions occur in an area external to the United States of America and the		
3	analysis of the interactions occur in at least one of a different area external to the		
4	United States of America and an area within the United States of America.		
1	Claim 17 (cancelled).		
1	18. (currently amended) A method for providing calibrated evaluations		
2	of agent performance, wherein all steps are performed by a computer, comprising		
3	providing interactions between an agent employed by a business and a		
4	customer of the business to analysts for assigning scores to a performance of the		
5	agent during one of the interactions, wherein at least one of the interactions is		
6	commonly provided to the analysts;		
7	analyzing the performance scores provided by the analysts and		
8	determining for each analyst, a total performance score for the commonly-		
9	provided interaction via a scoring algorithm;		

10	comparing each of the total performance scores associated with the	
11	analysts with a standard score determined by another employee of the business to	
12	identify a deviation between each of the total performance scores;	
13	providing feedback to each of the analysts, the feedback comprising that	
14	analyst's deviation from the standard score;	
15	adjusting for one or more analysts, a scoring criteria in response to the	
16	feedback based on the associated deviation, comprising:	
17	if the deviation associated with at least one of the analysts is not	
18	within an acceptable range of deviation then repeat the submitting providing,	
19	analyzing, and comparing steps for that analyst; and	
20	if the deviation associated with one or more of the analysts is	
21	within the acceptable range then the at least one or more analysts are considered	
22	calibrated analysts;	
23	randomly sampling the provided interactions for distributing to the	
24	calibrated analysts, wherein the interactions occur in a first geographical area and	
25	the interactions are analyzed in a second geographical area by the calibrated	
26	analysts to produce a calibrated performance score based on a determination of	
27	the performance rendered by the agent to the at least one customer;	
28	sending the calibrated performance score to the business and transmitting	
29	input from the business, wherein the input is based on feedback generated by the	
30	agent in response to the calibrated performance score;	
31	recalculating the standard score based on the input from the business as a	
32	recalculated standard score, comprising:	
33	if the deviations associated with one or more of the analysts are not	
34	within an acceptable range of deviation from the recalculated standard score then	
35	repeating the submitting providing, analyzing, and comparing steps;	
36	if the deviations associated with one or more of the analysts are	
37	within the acceptable range of deviation from the recalculated score, then the one	
38	or more analysts are considered recalibrated analysts.	

Claim 19 (cancelled).

- 1 20. (previously presented) The method of claim 18, wherein the 2 acceptable range of deviation is established by the business.
- 1 21. (previously presented) The method of claim 18, wherein the 2 acceptable range is expressed as the deviation between an individual analyst's 3 calibrated performance scores.
- 1 22. (previously presented) The method of claim 21, wherein the 2 deviation is expressed as a percentage of deviation from the standard score.
- 1 23. (previously presented) The method of claim 18, wherein the 2 commonly-provided interaction and the acceptable range of deviation are 3 provided by an anonymous transaction simulation.
- 1 24. (previously presented) The method of claim 23, wherein the 2 anonymous transaction simulation is designed to test a parameter selected from 3 the group consisting of a particular category of a transaction, a training update, 4 and a unique customer interaction scenario.
- 1 Claims 25-43 (cancelled).
- 1 44. (previously presented) The method of claim 18, wherein the 2 interactions each consist of at least one of voice data and other data.
- Claims 45-88 (cancelled).
- 1 89. (previously presented) The method of claim 18, wherein wages in 2 the second geographic area are less than wages in the first geographical area to 3 generate wage attenuation.
- 1 90. (currently amended) An apparatus for providing calibrated 2 evaluations of agent performance, comprising:
- a communications network to provide interactions between an agent
 employed by a business and a customer of the business to analysts for assigning

5	scores to a performance of the agent during one of the interactions, wherein at		
6	least one of the interactions is commonly provided to the analysts; and		
7	a processor configured to:		
8	analyze the performance scores provided by the analysts and to		
9	determine for each analyst, a total performance score for the commonly-provided		
10	interaction via a scoring algorithm;		
11	compare each of the total performance scores associated with the		
12	analysts with a standard score determined by another employee of the business to		
13	identify a deviation between each of the total performance scores;		
14	provide feedback to each of the analysts, the feedback comprising		
15	that analyst's deviation from the standard score;		
16	adjust for one or more analysts, a scoring criteria in response to the		
17	feedback based on the associated deviation, comprising if the deviation associated		
18	with at least one of the analysts is not within an acceptable range of deviation then		
19	repeat the submitting providing, analyzing and comparing steps for that analyst,		
20	and if the deviation associated with one or more of the analysts is within the		
21	acceptable range then the at least one or more analysts are considered calibrated		
22	analysts;		
23	randomly sample the provided interactions for distributing to the		
24	calibrated analysts, wherein the interactions occur in a first geographical area and		
25	the interactions are analyzed in a second geographical area by the calibrated		
26	analysts to produce a calibrated performance score based on a determination of		
27	the performance rendered by the agent to the at least one customer;		
28	send the calibrated performance score to the business and		
29	transmitting input from the business, wherein the input is based on feedback		
30	generated by the agent in response to the calibrated performance score; and		
31	recalculate the standard score based on the input from the business		
32	as a recalculated standard score, comprising if the deviations associated with one		
33	or more of the analysts are not within an acceptable range of deviation from the		
34	recalculated standard score then repeating the submitting providing, analyzing and		
35	comparing steps, and if the deviations associated with one or more of the analysts		

- are within the acceptable range of deviation from the recalculated score, then the
 one or more analysts are considered recalibrated analysts.
 - 1 91. (previously presented) The apparatus of claim 90, wherein at least
 2 one of the calibrated performance score and the input are provided over a
 3 communication network.
 - 1 92. (previously presented) The apparatus of claim 90, wherein the 2 interactions are based on an analysis frequency that is determined at least one of 3 arbitrarily and as requested by the business.
 - 1 93. (previously presented) The apparatus of claim 90, wherein at least 2 one of the interactions is analyzed for quality of service for the agent per day.
 - 1 94. (previously presented) The apparatus of claim 90, further 2 comprising:
 - 3 provide a data report with the calibrated performance score.
 - 1 95. (previously presented) The apparatus of claim 94, wherein the 2 report data further comprises at least one of:
 - an agent performance element that could be improved; and
 - 4 an agent performance element that was well performed.
 - 1 96. (previously presented) The apparatus of claim 94, wherein the 2 report data further comprises a training tip for the agent based on analyzing the 3 agent's interactions.
 - 1 97. (previously presented) The apparatus of claim 90, wherein the 2 interactions comprise telephone calls.
 - 1 98. (previously presented) The apparatus of claim 90, wherein the 2 interactions comprise electronic messages.
 - 1 99. (previously presented) The apparatus of claim 90, wherein the 2 interactions occur in an area within the United States of America and the analysis

of the interactions occur in at least one of a different area within the United States
 of America and an area that is external to the United States of America.

1

2

3

4

1

2

1

2

- 100. (previously presented) The apparatus of claim 90, wherein the interactions occur in an area external to the United States of America and the analysis of the interactions occur in at least one of a different area external to the United States of America and an area within the United States of America.
- 101. (previously presented) The apparatus of claim 90, wherein the acceptable range of deviation is established by the business.
 - 102. (previously presented) The apparatus of claim 90, wherein the acceptable range is expressed as the deviation between an individual analyst's calibrated performance scores.
- 1 103. (previously presented) The apparatus of claim 90, wherein the 2 deviation is expressed as a percentage of deviation from the standard score.
- 1 104. (previously presented) The apparatus of claim 90, wherein the 2 commonly-provided interaction and the acceptable range of deviation are 3 provided by an anonymous transaction simulation.
- 1 105. (previously presented) The apparatus of claim 90, wherein the 2 anonymous transaction simulation is designed to test a parameter selected from 3 the group consisting of a particular category of a transaction, a training update, 4 and a unique customer interaction scenario.
- 1 106. (previously presented) The apparatus of claim 90, wherein wages 2 in the second geographic area are less than wages in the first geographical area to 3 generate wage attenuation.
- 1 107. (previously presented) The apparatus of claim 90, wherein the interactions each consist of at least one of voice data and other data.

1	108. (currently amended) A non-transitory computer-readable storage		
2	medium containing computer executable instructions stored therein, which when		
3	executed by a computer, causing said computer to implement the method for		
4	providing calibrated evaluations of agent performance, comprising:		
5	providing interactions between an agent employed by a business and a		
6	customer of the business to analysts for assigning scores to a performance of the		
7	agent during one of the interactions, wherein at least one of the interactions is		
8	commonly provided to the analysts;		
9	analyzing the performance scores provided by the analysts and		
10	Contraction of the common live		
11			
12	comparing each of the total performance scores associated with the		
13	analysts with a standard score determined by another employee of the business to		
14	identify a deviation between each of the total performance scores;		
15	providing feedback to each of the analysts, the feedback comprising that		
16	analyst's deviation from the standard score;		
17	adjusting for one or more analysts, a scoring criteria in response to the		
18	feedback based on the associated deviation, comprising:		
19	if the deviation associated with at least one of the analysts is not		
20	within an acceptable range of deviation then repeat the submitting providing,		
21	analyzing, and comparing steps for that analyst; and		
22	if the deviation associated with one or more of the analysts is		
23	within the acceptable range then the at least one or more analysts are considered		
24	calibrated analysts;		
25	randomly sampling the provided interactions for distributing to the		
26	calibrated analysts, wherein the interactions occur in a first geographical area and		
27	the interactions are analyzed in a second geographical area by the calibrated		
28	analysts to produce a calibrated performance score based on a determination of		
29	the performance rendered by the agent to the at least one customer;		

0	sending the calibrated performance score to the business and transmitting			
31	input from the business, wherein the input is based on feedback generated by the			
32	agent in response to the calibrated performance score;			
33	recalculating the standard score based on the input from the business as a			
34	recalculated standard score, comprising:			
35	if the deviations associated with one or more of the analysts are no			
36	within an acceptable range of deviation from the recalculated standard score ther			
37	repeating the submitting providing, analyzing, and comparing steps;			
38	if the deviations associated with one or more of the analysts are			
39	within the acceptable range of deviation from the recalculated score, then the one			
40	or more analysts are considered recalibrated analysts.			
1	109. (previously presented) The non-transitory computer-readable			
1	storage medium of claim 108, wherein at least one of the calibrated performance			
3	storage medium of claim 108, wherein at least one of the canonated performance score and the input are provided over a communication network.			
3	score and the input are provided over a communication necessary			
1	110. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein the interactions are based on an analysis			
3	frequency that is determined at least one of arbitrarily and as requested by the			
4	business.			
1	111. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein at least one of the interactions is analyzed			
3	for quality of service for the agent per day.			
	112. (previously presented) The non-transitory computer-readable			
1	•			
2	storage medium of claim 108, further comprising: providing a data report with the calibrated performance score.			
3	providing a data report with the canonated performance score.			
1	113. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 112, wherein the report data further comprises at least			
3	one of:			
4	an agent performance element that could be improved; and			

,	an agent performance element that was well performed.			
	114. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 112, wherein the report data further comprises a training			
3	tip for the agent based on analyzing the agent's interactions.			
1	115. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein the interactions comprise telephone calls.			
1	•			
2	storage medium of claim 108, wherein the interactions comprise electronic			
3	messages.			
1	117. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein the interactions occur in an area within the			
3	United States of America and the analysis of the interactions occur in at least one			
4	of a different area within the United States of America and an area that is external			
5	to the United States of America.			
1	118. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein the interactions occur in an area external to			
3	the United States of America and the analysis of the interactions occur in at least			
4	one of a different area external to the United States of America and an area within			
5	the United States of America.			
1	119. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein the acceptable range of deviation is			
3	established by the business.			
-				
1	120. (previously presented) The non-transitory computer-readable			
2	storage medium of claim 108, wherein the acceptable range is expressed as the			

deviation between an individual analyst's calibrated performance scores.

1	121. (previously presented) The non-transit	tory computer-readable
2	storage medium of claim 108, wherein the deviation	is expressed as a percentage
3	of deviation from the standard score.	

122. (previously presented) The non-transitory computer-readable storage medium of claim 108, wherein the commonly-provided interaction and the acceptable range of deviation are provided by an anonymous transaction simulation.

- 123. (previously presented) The non-transitory computer-readable storage medium of claim 108, wherein the anonymous transaction simulation is designed to test a parameter selected from the group consisting of a particular category of a transaction, a training update, and a unique customer interaction scenario.
- 124. (previously presented) The non-transitory computer-readable storage medium of claim 108, wherein wages in the second geographic area are less than wages in the first geographical area to generate wage attenuation.
- 125. (previously presented) The non-transitory computer-readable storage medium of claim 108, wherein the interactions each consist of at least one of voice data and other data.